




Since 1994, we are engaged in Manufacturing, Wholesale and Exporting of Engineering Goods namely Water Heater Parts, LPG Cylinder Parts, Precision Pressed and Machined Parts. We also cater to the Construction and Paint industries in the Middle East.

Owing to our Quality Standards, Reliability in delivery, we have loyal set of clients (mostly OEMs) in different parts of the Globe such as **Kuwait**, **Oman**, **UAE**, **Qatar** in **Middle East**, **USA** and other countries in Europe. Just to flatter ourselves our very first customer is still with us after almost 25 years.

Empowered by strong logistics support, dexterous team, Quality Dept and a rich vendor base, we aim to provide our products without any flaw at the right time.

OUR MOTTO IS QUEST FOR EXCELLENCE.

WE STRIVE TO MAINTAIN
OUR QUALITY AND TO RETAIN
OUR CUSTOMERS SINCE 1994.



Our vision is to create a win win situation for our suppliers of technical and customers by adding value in terms of technical information and fair dealings.

Our mission is to increase share of India's Global Trade by becoming a reliable and strong link in supply chain management.

WATER HEATER PARTS

LPG PARTS

PRESSED PARTS

HARDWARE PARTS







DISH ENDS

- We produce Dish Ends in both Mild Steel and Galvanized Iron (MS & GI).
- Various sizes can be produced as per customized requirements.

MOUNTING BRACKETS

- These brackets are used in supporting the water heaters. We manufacture for both horizontal and vertical orientation.
- Material: MS & GI

WATER HEATER PARTS



HEATER CAPS (CRCA)

- We supply CRCA Caps and Lids in large quantities.
- The lid diameter and number of holes etc. are all customizable.
- They are usually made in Mild Steel.



CLAMPS

- These brackets are used in supporting the water heaters. We manufacture for both horizontal and vertical orientation.
- Material: MS & GI







FLANGE & GASKET

 We mfr Flange / Flange Cover with Rubber gasket for fixing the Heating Element. Usually for Enamelled water tank, flanged type of Heating Element is used We can also provide the T bolts and nuts used for fixing the flange.

HEATER HALVES

- We supply heater halves such that they can later be welded together to form a complete Water Heater Tank.
- Material: MS

MACHINED PARTS

WATER HEATER PARTS





SOCKET & FERRULES

- We mfr Sockets and Ferrules on CNC machines as per the drawing dimensions. Socket is used for fitting Heating Element and Ferrule for fixing the Top Safety Valve.
- The material is MS with Galvanized or Blackodized finish We can also supply Copper Sockets. The Rubber O ring for Sockets and Ferrule is also supplied by us

GI PIPES

- Also known as nipples these pipes are used as inlet outlet pipes from the water heater.
- Threading: BSP x 15MM length
- Lengths: 50MM / 90MM / 460MM / 560MM
- Materials also available in: MS & SS





SS TUBES & HOSE PIPES

- We supply GI ERW pipes / Seamless pipes with one side threaded which are used as Inlet outlet pipes These are usually in 1/2" BSP thread in different length.
- We also supply thin walled Stainless Steel SS 304 tubes to be used with plastic sleeve for inlet and outlet pipes. These tubes are with one side flaring for fixing on the nipple.



SAFETY RELIEF VALVES

- These valves are made of brass and are used to maintain the temperature and pressure inside the heater.
- They can be made in other materials also.

WATER HEATER PARTS



HEATING ELEMENT

We manufacture two types of heating elements

- Flange Type
- Screw Type

The product can be made according to customized specifications. In general the specifications that we work with are:

- Copper Tube
- 8mm dia x 300mm
- 240V / 50hz / 1PH / 1-1 / 4th* thread



THERMOSTAT

- These are stem type cut out thermostats.
- They automatically get on/off in accordance to the variation of the heating temperature and manually make the CKT and are suitable to be used in the water heaters.
- These are known for highly remarkable features like shockproof body, thermal resistant finish, chemical resistant finish and low power consumption.








THERMOMETER

- We have thermometers in various shapes suitable for your water heaters. Even various technical specifications can be accommodated.
- The scale is divided into easily legible zones. Also can provide you with your company logo and name on the reading dial if the quality is sufficient.



INDICATOR LAMPS

• The Indicating lamp is Neon with Polycarbonate cover and white or black cable fixed with straight or L type Lugs at the end . The cap can be Clip or Butterfly type for fixing on the plastic cap.

WATER HEATER PARTS



MG ANODE

- These anodes are made of magnesium and they are used so that they can protect the water heater from rusting.
- These are available in various shapes and sizes and can be supplied according to requirements.



PLASTIC CAP

- These plastic covers are specially designed for water heaters and can be produced in large quantities.
- Materials Available in : ABS, PP and PC






WATER HEATER TANK

- We can supply water heater Enamel coated inner tanks in 1.8mm thickness with socket welded. We can also supply heating element & magnesium anode if required.
- We also supply glass lined water heater tanks.
 These tanks can be supplied with other water heater parts either loose or fitted.

ELECTRICAL WATER HEATER





PRESSED PARTS



CLAMPS

- We mfr and supply various type of Clamps Rubber Clamps/ Cable Clamps/Saddle Clamps/Sprinkle Clamps/ Nail
- Clamps in various sizes as required
- Material: GI /MS
- Finish: Galvanized

SS STRIP

• These clamps are made from Spring Steel, Heated treated and Passivated as per requirement in various shapes and sizes. These are precision stampings and mainly supplied to OEMs





HEAD PAN

- Head pan in GI in various sizes 12" to 18" for use in construction industry.
- Material GI



GRATING CLAMP

- We mfrs and supply the Grating Fixing Clamps in Mild Steel.
- · Hot Dip Galvanised Finish Suitable for Fixing Mild Steel Galvanised Gratings. It is the most common style of clip used for clamping down open steel flooring. It provides a quick and cost effective method of clamping.



PRESSED PARTS





BIG DISH ENDS

- Big Dishends are used for mfg in Pressure Vessels / Storage Tanks and their diameters can be upto 3000MM or more andthickness may be 25MM-50MM or more. These Dishends are Ultrasonic tested for welding cracks and confirm to quality standards.
- TPI may also be done as per requirement.



SPRING STEEL CLAMPS

 These clamps are made from Spring Steel, Heated treated and Passivated as per requirement in various shapes and sizes.
 These are precision stampings and mainly supplied to OEMs

AC BRACKETS

- We mfr Powder coated fabricated Split AC brackets for mounting the outdoor unit for different capacities of AC and different brands.
 We can also make as per the clients drawing or sample.
- Similar type of Powder coated fabricated mountings can be mfd and supplied.



DRIP TRAYS

 Drip Trays are mfd from Stainless Steel and used in Water Cooler industry under the faucets. They can be in different sizes and shapes. These precision pressed parts are supplied to Water Cooler Industries.



LPG PARTS



VALVE PROTECTION RINGS

- We mfr and supply Valve Protection Ring / Guard Ring for LPG Cylinder
- VP Ring are made of MS Pipe circular bend, welded as per the size and diameter required



LPG CYLINDER FOOT RINGS

 Foot Rings forms the base of the Cylinder and can be supplied in thickness 2.5MM/3MM with proper J forming and drain holes and welded.



STAY PLATE

 Stay plate are MS Plate which are fixed on the outer body of the LPG cylinder and are embossed with the company logo and other technical information.



VALVE PAD BUNGS

- Valve Pad / Bungs for fixing the LPG cylinder Valve are made from forged blanks and machined on CNC for perfect thread for securely fixing the
- Valve. These are supplied in Shot Blasted finish
- Material: MS forged





COTTON ROPES

 Cotton Ropes are braided as well as twisted and are e mfr and supply in various sizes ranging from 2MM to 18MM or more Packing can be hank / coil or ball packing as per requirement.

PLASTIC (HDPE) ROPES

 We mfr and supply Plastic(HDPE)Ropes in sizes from 2MM to 18MM in different colors and different packing Coils of 30 yds/40yds or 1/2 kgs or 1 kgs.





DIAMOND CUTTERS

 We supply quality Diamond cutters in different sizes like 100MM/120MM and 180MM with or without washers as required.

MARBLE CLAMPS

- Marble clamps are used in construction industry
- Material: SS304/SS202 or GI
- Shapes: L type/ Up and Down or Z Type
- Sizes:30*30/30*40/30*50 or as per requirement
- Thickness: 2.5MM/3MM or as required
- We can also provide the related fasteners Anchor Pin, Sleeve and Nuts.





RUBBER CLAMP

- Used as coupling for pipes
- Used in oil and gas companies, pharmaceutical companies etc.



CANVAS NAIL BAG

- Cotton Canvas Quality tested and ensured for maximum durability
- Designed with only the toughest, roughest users in mind
- Comfort and Performance come hand in hand with BETCO



POLISHING STONES

Polishing Stones are available in Aluminum Oxide and Silicon Carbide abrasives. They are properly bonded and cured. We can supply in bulk packing or individual packed.



MEASURING TAPE

- Measuring Tapes are available in different sizes 7.5 Mtr*25MM, 5 MTr*19MM, 3 Mtr*16MM.
- The blade can be single side printed or double side printed . The ABS case can be made in 2 colors as per your requirement.
- Packing: Single piece card packing





MULL FABRIC SELF DRILLING SCREW

- Mull Fabric is made of 100% cotton and used for cleaning purpose in paint industry
- Available in 30"/36"/42" width in different GSM like 45/50 or as per requirement Packing can be bulk in bales or in Book from or Rolls.
- We have variety of Fasteners from Dry Wall Screw to Roofing Self Drilling Screws Material: SS/ MS with galvanized or blackodized finish.
- We also supply color topped SDS for roofing purpose.





ELASTIC WEBBING

- Elastic Webbing for Furniture industry can be supplied in different colors and design Single line Double line and with different stretch.
- Standard width 50MM and 45 mtr/ roll

SOFA LEGS

- We supply Sofa legs in SS or MS with Chrome finish in various sizes and shapes.
- Shapes: Plain Pipe/ Cup shape/ Bell Shape / Ball type Sizes: 6"/8" /9"
- We also supply plate type sofa legs in different size and designs.





(item No - Bx-9204)



ROTO FABRIC

Size: Width 58/60 x 18 Yards
Material: 100% Polyester
Weight: 6.75-7 Kg/100 mtr
Denier: 81.5D X 77.7D

• GSM: 47

• Construction : Warp x weft

LYCRA FABRIC

• Size: Width 56/58"

Denier: 95

Packing: 25 YRDSGSM: 105-110Weight: 6.75 mts/Kg

Material: 100% Polyester
Construction: Warp x weft



COTTON CANVAS FABRIC

• Material: 100% Cotton Canvas Fabric In Natural Colors

• Gsm : 250 Gsm

End Use : For Making Gloves Cuff

Width: 63"





HONEY COMB FABRIC

• Width: 160 cm

• Feel of Fabric : smooth and soft.

Big Hole: 125 GSMSmall Hole: 132 GSM





TUBULAR COTTON FABRIC

Size: Width 58/60 x 18 Yards
Material: 100% Polyester
Weight: 6.75-7 Kg/100 mtr
Denier: 81.5D X 77.7D

• GSM: 47

• Construction : Warp x weft



COTTON DYED FABRIC

Material : 100% Cotton
 Size : 47 / 43 x 20 yds
 Packing : 1000 yds/bale



COTTON DUST SHEET

- 100% Cotton Twill Dust sheet protects against dust, dirt, paint splashes and spatter.
- Economic, Regular, Medium and Heavy duty Dust sheets available in Various sizes and Weight.
- Available in polythene, Paper, Cotton, Polybacked Cotton.
- Waterproof and rot proof Sheets.
- · Holds Dust & Dirt.
- · Ideal for DIY decorating and Gardening.
- Size: 3.6 m x 2.7 m (12ft x 9ft) approx.



MOTTON CLOTH

- Width of fabric is normally 10 inch to 12 inch, but we can supply as per customer requirements.
- Roll size is available from 500 grm to 5 kg roll.
- Production capacity is 10000 kg within a week.
- 20' container capacity: 8.5 MT and 40' container capacity: 19 M.T
- Also available in poly cotton fabric.





HEAD OFFICE ADDRESS

401, ELITE SQUARE, 274, PERIN NARIMAN STREET, FORT, MUMBAI-400003, INDIA.

USA OFFICE:

BLOSSOM ENTERPRISES, 46 GENOVA CT, FARMINGDALE, NEW YORK, 11735-6544 - USA.

TEL: +1 516 473 4002 CONTACT PERSON : JAY

CONTACT

TEL: 0091 22 23415962

Email: info@bohraengineering.com WEBSITE: www.bohraengineering.com